## ALL IN ONE

THE ONLY COMPACT MUSIC AND PUBLIC ADDRESS SYSTEM FOR YOUR BUSINESS.



audio COMPACT 10401

53



www.egicompact.com

## Music Source + Amplifier + Microphone INTEGRATED IN ONE PRODUCT

Calls and music **console** for **3 zones**: Two self-amplified zones (2 x 50 W). One passive zone for MILLENNIUM connection.

SCHOOLS

FASTFOOD OUTLETS

HOTELS

SUPERMARKETS

PETROL STATIONS

## ALL IN ONE COMPACT<sup>M</sup>


THE ONLY COMPACT MUSIC AND PUBLIC ADDRESS SYSTEM FOR YOUR BUSINESS.

**EGi's AUDIO COMPACT** is the only self-amplified console on the market that incorporates music sources and microphone within the same compact and stylish unit.

With **AUDIO COMPACT**, you will enjoy the best audio and PA quality with all the features of a conventional system at a much more competitive price.

- Select up to 3 music channels to play simultaneously in different zones.
- ▶ FM/RDS radio with list of stations.
- ► AUX audio input via 3.5 mm jack.
- ▶ MP3 and WAV audio input via USB port.
- ► Input and playback of 'ding-dong' chime and pre-recorded messages via micro SD card.

- ▶ PA calls delivered in all or selected zones.
- ▶ Built-in, adjustable, one-way Electret microphone.
- ► LED for calls broadcasting.
- Music volume and equalizer control for each individual zone.
- ▶ PA calls volume adjustable by zone.
- ▶ Dual voltage supply 110 V~ / 230 V~.




- 1. PA call button and LED indicator.
- 2. LCD graphic display.
- 3. Keys to access menus.
- 4. Protective front cover.
- 5. ON / Standby push button.
- 6. Electret one-way PA microphone.
- 7. Micro SD memory card input.
- 8. USB input for MP3 music playback.

- 9. Cabling protector cover.
- 10. Voltage selector 110 V~ / 230 V~.
- 11. Ventilation grille.
- 12. 230V~ or 110 V~ power input.
- 13. Audio output for Zone 1 and Zone 2 (2 x 50W).
- 14. RF FM antenna input.
- 15. Auxiliary audio input.

16. Zone 3 output for connecting MILLENNIUM amplifiers and control units.



COMPACT solution for retail outlets:





----- 230 V~ power supply

Zone 1 Speakers

Zone 2 Speakers

*100 motro rolle		Accessories not included
CML100V	Halogen-free, twisted pair cable (2 x 1.5 mm²)	100 m*
06050 🔵 🛑	5", built-in 7W / 32 $\Omega$ loudspeaker for ceilings	8 pcs
10401 📥	AUDIO COMPACT self-amplified 2 x 50W console	1 рс

\*100 metre rolls


Example of installation for shops and retail outlets. Sound broadcast in two zones, Zone 1 for the shop and Zone 2 for the toilets, offices and warehouse. Enables PA calls, pre-recorded messages and individual volume control. COMPACT console fitted on the counter and incorporating music sources such as FM/RDS radio, MP3 audio playback, WAV via USB, and an auxiliary audio input via a 3.5 mm jack. The audio sources can be selected by area.

Power Z1 and Z2: 50 + 50W

\*\*For maximum sound quality, we recommend including HiFi speakers and a subwoofer (References 06019 - 0605.04 - 0605.16 - 06035-6601.08)



## COMPACT solution for Fast-Food restaurants:





10401	AUDIO COMPACT self-amplified 2x50W console	1 рс
0604.02	16 $\Omega$ 95 dB (SPL) indoor/outdoor sound projector 1W/1m IP54	4 pcs
06050	5", built-in 7W / 32 $\Omega$ loudspeaker for ceilings	8 pcs
CML100V	 Halogen-free, twisted pair cable (2 x 1.5 mm²)	100 m*

\*100 metre rolls

Accessories not included

Example of an installation for a fast food restaurant with 50W in each zone. COMPACT console fitted in cash register area for PA calls and with individually adjustable music volume. The COMPACT console incorporates audio sources such as FM/RDS radio, MP3, WAV through USB, and an auxiliary input socket via a 3.5 mm jack. The system enables pre-recorded messages stored on a micro SD card to be broadcast.

## COMPACT SOLUTIONS



COMPACT solutions for supermarkets:







CML100V

0604.02

06050

 230 V~ power supply
 Zone 1 Speakers
 Zone 2 Speakers

CML100V		Halogen-free, twisted pair cable (2 x 1.5 mm²)	100 m*
0604.02		16 $\Omega$ 95 dB (SPL) indoor/outdoor sound projector 1W/1m IP54	2 pcs
06050		5", built-in 7W / 32 $\Omega$ loudspeaker for ceilings	8 pcs
10401	ġ	AUDIO COMPACT self-amplified 2 x 50W console	1 рс

\*100 metre rolls

Example of installation for background music and PA in a supermarket - Zone 1 and Zone 2. In this example, the COMPACT console is fitted at the check-out counter and allows PA calls and pre-recorded messages to be broadcast, individual volume control and several audio sources such as

FM/RDS radio, MP3, WAV via USB, or an auxiliary audio input via 3.5 mm jack. PA calls and messages can be broadcast generally or by individual zone.

Accessories not included



COMPACT solution for petrol stations:





 230 V~ power supply
 Zone 1 Speakers
 Zone 2 Speakers
 Zone 3 General Bus (OPTIONAL)
 Zone 3 Speakers (OPTIONAL)

10401		AUDIO COMPACT self-amplified 2 x 50W console	1 рс
1309.1		20W amplifier <b>(Optional)</b>	1 рс
1204.10	8	2-channel, 5W control unit <b>(Optional)</b>	2 pcs
06050		$5^{''}$ built-in, 7W / 32 $\Omega$ loudspeaker for ceilings	7 Optional - 4 standard
0604.02		16 $\Omega$ 95 dB (SPL) indoor/outdoor sound projector 1W/1m IP54	4 pcs
CML100V		Halogen-free, twisted pair cable (2 x 1.5 mm²)	100 m*
R18N		4-core twisted cable per audio channel, 1 x 1.5 / 1 x 1.0 / 2 x 0.25	mm <sup>2</sup> 100 m*

\*100 metre rolls

Example of installation for a filling station with a shop, bar and office. Proposal for sound system including optional PA calls and emission of pre-recorded messages.


COMPACT console fitted on the counter for

Accessories not included

local control of music, with HQ sound, FM/RDS radio tuner with preset channels, MP3 player via USB and auxiliary audio input via 3.5 mm jack.



## COMPACT solution for hotels:







1107.10

R18N

 230 V~ power supply
 Zone 1 Speakers
 Zone 2 Speakers
 Zone 3 General Bus (OPTIONAL)
 Zone 3 Speakers(OPTIONAL)

10401	AUDIO COMPACT self-amplified 2 x 50W console	1 рс
1309.1	20W 15 Vdc amplifier <b>(Optional)</b>	1 рс
40710	Power supply 15 Vdc and 20W <b>(Optional)</b>	1 рс
1204.10	2-channel, 5W control unit <b>(Optional)</b>	3 pcs
1106.10 🔲	Local RCA input unit with volume control (Optional)	1 рс
1105.10 💽	Dynamic or phantom XLR microphone input (Optional)	1 рс
1107.10 🔳	Mic volume adjuster unit <b>(Optional)</b>	1 ud
06050	5″ built-in 7W / 32 Ω loudspeaker for ceilings	16 Optional - 8 standard Z1
0604.02 📄	16 Ω 95 dB (SPL) indoor/outdoor sound projector 1W/1m IP54	4 pcs
CML100V	Halogen-free, twisted pair cable (2 x 1.5 mm²)	100 m*
R18N	<ul> <li>4-core twisted cable per audio channel, 1 x 1.5 / 1 x 1.0 / 2 x 0.2</li> </ul>	25 mm² 100 m*
*100 metre rolls		Accessories not included

Example of installation of a 2-zone hotel sound system; Zone 1 and Zone 2. Optionally, you can extend installation to a  $3^{rd}$  zone by incorporating EGi's MILLENNIUM series that enables PA calls and background music either generally or locally

COMPACT console fitted on front desk in lobby that allows for individual volume control and includes audio sources such as FM/RDS radio, MP3, WAV through USB and auxiliary input via 3.5 mm jack.



## COMPACT solution for sports and fitness centres:



10401	





1204.10





R18N

06050

. . . .

.....

230 V~ power supply

0604.02

....

 Zone 1 Speakers
 Zone 2 Speakers
 Zone 3 General Bus (OPTIONAL)

Zone 3 Speakers (OPTIONAL)

+		
10401 📥	AUDIO COMPACT self-amplified 2 x 50W console	1 рс
1309.1	20W 15 Vdc amplifier ( <b>Optional</b> )	2 pcs
1305.1 💼	40W 100V MILLENIUM amplifier for sound Rack (Optional)	1 рс
1204.10 🔳	2-channel, 5W control unit <b>(Optional)</b>	4 pcs
1106.10 🔲	Local RCA input unit with volume control (Optional)	1 рс
06050	5", built-in 7W / 32 $\Omega$ loudspeaker for ceilings	14 optional - 8 standard
TR20HF 👩	10W HQ IP44 horn speaker <b>(Optional)</b>	4 pcs
0604.02 📄	16 $\Omega$ 95 dB (SPL) indoor/outdoor sound projector 1W/1m IP54	4 pcs
CML100V	Halogen-free, twisted pair cable (2 x 1.5 mm²)	100 m*
R18N —	4-core twisted cable per audio channel, 1 x 1.5 / 1 x 1.0 / 2 x 0.25	mm <sup>2</sup> 100 m*
*100 metre rolls		Accessories not included

100 metre rolls

Example of installation for sports centres or gyms, with outdoor sound (Zone 1) and sound in common indoor areas (Zone 2). Can be extended to a  $3^{rd}$  zone by incorporating EGi's MILLENNIUM series that allows PA and BGM broadcast to other areas (swimming pool, lunch area and leisure rooms).

The COMPACT console enables individual volume control and incorporates audio sources such as FM/RDS radio, MP3, WAV through USB and an auxiliary input via de 3.5 mm jack.





## COMPACT solution for schools:

10401		AUDIO COMPACT self-amplified 2 x 50W console	1 рс
1309.1		20W 15 Vdc amplifier <b>(Optional)</b>	4 pcs
05011		4Ω 100V 50W Transformer	1 рс
1204.10		2-channel, 5W control unit <b>(Optional)</b>	10 pcs
1106.10		Local RCA input unit with volume control (Optional)	10 pcs
06050		5", built-in 7W / 32 $\Omega$ loudspeakers for ceilings	34 optional
06040		5", ceiling speakers for 100V line; 6 / 3 / 1.5W	16 standard in Z1
0604.02		16 Ω 95 dB (SPL) indoor/outdoor sound projector 1W/1m IP54	4 pcs
CML100\	/	Halogen-free, twisted pair cable (2 x 1.5 mm²)	100 m*
R18N		4-core twisted cable per audio channel, 1 x 1.5 / 1 x 1.0 / 2 x 0.25 mm²	100 m*
*100 metre	e rolls	Acce	ssories not included

10401

1204.10

06050

1309.1

.....

1106.10

0604.02

----- 230 V~ power supply

Zone 2 Speakers

.....

Zone 1 Speakers

Zone 3 Speakers (OPTIONAL)

Zone 3 General Bus (OPTIONAL)

05011

06040


CML100V

R18N

Example of an installation for schools with sound broadcasting to two zones, Zone 1 for common areas and toilets, and Zone 2 for outdoors.

Optionally, Zone 3 can be added by incorporating EGi's MILLENNIUM series to bring BGM and PA calls to all classrooms, with local inputs for independent audio sources in each classroom. The COMPACT console incorporates standard music sources, such FM/RDS radio, MP3 audio playback, WAV via USB and an auxiliary audio input via a 3.5 mm jack.

## INSTALLATION DIAGRAM



# audio COMPACT

## www.egicompact.com

## 4 REASONS FOR CHOOSING THE COMPACT CONSOLE

01



## MADE TO SUIT YOUR BUSINESS

AUDIO COMPACT is the best solution for background music and public address, matching the needs and size of any business.



## SELF-AMPLIFIED CONSOLE

AUDIO COMPACT comes with a built-in amplifier for active zones of 50W each and 1 passive zone for MILLENNIUM's amplifiers and control units.

COMPACT DESIGN

04

ALL IN ONE COMPACT™

02



## EASY TO USE AND INSTALL

Installation and handling of the AUDIO COMPACT console is fast and intuitive - fast, thanks to a simplified rear connection panel, and intuitive, thanks to an easy-to-use interface with a backlit LCD screen.

## ELECTROACÚSTICA GENERAL IBÉRICA S.A.

### HEAD OFFICES

Saragossa (Spain) Avda. Almozara, 79. 50003 Saragossa Tel. + 34 976 40 53 53 • Fax +34 976 40 53 54 e-mail: info@egiaudio.com

EXPORT DEPARTMENT Tel. +34 976 40 53 56 • Fax +34 976 40 53 9 e-mail: export@egiaudio.com

EGI LOCAL PARTNER

TECHNICAL ASSISTANCE AND AFTER SALES DEPARTMENT Tel. +34 976 404 677 e-mail: sat\_consultas@egiaudio.com

## EGI 008294 2014

03



## BUSINESS

INTERCOMUNICACIÓN SONORIZACIÓN MEGAFONÍA audio COMPACT

